Reinventing Spaces

LOOM+

WOVEN DESIGN FLOORING

Contact us

MARKETING OFFICE

New Delhi: 70, KLJ Complex, 2nd Floor, Moti Nagar,
New Delhi-110015, India
P: 011-45557000, 25107617
E: merinodelhi@merinoindia.com

REGISTERED OFFICE

5, Alexandra Court, 60/1,
Chowringhee Road, Kolkata-700020, India
P: 033-22901214/1215
E: merinokol@merinoindia.com

FACTORY OFFICES

Hapur: Village-Achheja, PO-Hapur-245 101
Dist.-Hapur (U.P.), India
P: 0122-3082500, 2308601
E: merinohapur@merinoindia.com
(FSC COC certified)

Rohad: 44 KM. Stone, Delhi-Rohtak Road, Rohad,
Distt. Jhajjar, Haryana-124501, India
P: 01276-221000, 304900
E: merinorohad@merinoindia.com
(FSC COC certified)

Hosur: Bagalur Road, Kalahasthipuram Village,
Hosur Taluk, Distt. Krishnagiri,
Tamil Nadu-635103, India
P: 04344-293545, 327765
E: merinohosur@merinoindia.com
(FSC COC certified)

Dahej: 137, 1st Floor, Chinubhai Tower,
Ashram Road, Ahmedabad, Gujarat-380009, India
P: 079 - 26589511, 30075775
E: merinoahm@merinoindia.com

BRANCH OFFICES

Ahmedabad: P: 079-30075775, 26589511
E: merinoahm@merinoindia.com

Bengaluru: P: 080-42418000
E: merinoblr@merinoindia.com

Bhubaneswar: M: +91 9437394457
E: merinobbsr@merinoindia.com

Chandigarh: P: 7087001162/63
E: merinochd@merinoindia.com

Chennai: P: 044-49303333 / 3300
E: merinoch@merinoindia.com

Coimbatore: M: +91 9500036834
E: merinocbt@merinoindia.com

Indore: M: +91 9109937861

Ludhiana: M: 7347025195
E: merinoludhiana@merinoindia.com

New Delhi: P: 011-69015300
E: merinopg@merinoindia,com

Hyderabad: P: 040-27901202 / 1203
E: merinohyd@merinoindia.com

Jaipur: P: 0141-2206159, 2209505, 2209506
E: merinojaipur@merinoindia.com

Kochi: P: 0484-2398265, 2397972, 4183301/33
E: merinokochi@merinoindia.com

Mumbai: P: 022-67991970/71/72, 61816800
E: merinomum@merinoindia.com

Nagpur: P: 0712-2971721
E: merinonagpur@merinoindia.com

Pune: P: 020-24445025, 24447025
E: merinopune@merinoindia.com

Tinsukia: M: +91 9957736818

Vijayawada: M: +91 9686446121
E: merinohyd@merinoindia.com

merino®
ECONOMY • EXCELLENCE • ETHICS

merino®
ECONOMY • EXCELLENCE • ETHICS

HERRINGBONE

Classic & Cozy



LOOM+

WOVEN DESIGN FLOORING

ECONOMY + EXCELLENCE + ETHICS

LOOM+
DIFFERENCE

LOOM+ DIFFERENCE

DESIGN AND TECHNOLOGY ARE WOVEN TOGETHER

Infinite DESIGN spectrum

Only LOOM+ enables unique variation of creating your own floor by mixing and matching different patterns in two tile sizes.

Distinguished NOX EMT™ Core Structure

The first woven flooring with proven NOX EMT™ core structure that ensures the most stable and durable installation.

LOOM+ DESIGN

PLAY with COLOR, SIZE and TEXTURE



Profound Color Composition

Realizing multiple tones of color - carefully selected by artists – we provide you with very unique colors that expresses LOOM+ in harmony with surrounding interiors.




Infinite array of color and texture

Available in 59 colors covering diverse tones like neutral, cool, warm, light, and dark in five different yarn thicknesses, we give you nine unique design patterns.



Designed for mix & match

Creative and unique 'mix & match' only by LOOM+ is realized by introducing the same weaving system to nine design patterns.



50x50cm
Standard size

25x100cm
Plank size

Optimal 2 Size variation

With our unique 2 module sizes of 50cmx50cm and 25cmx100cm, the first introduced in woven flooring market, you can elevate the flat environments to inspiring interior spaces.

LOOM+ TECHNOLOGY

PROVEN INNOVATION

PATENTED TECHNOLOGY

Distinguished NOX EMT™ Core Structure

NOX EMT™ core structure featured with innovative functionality and safety, proven in more than 50 countries over 20 years

Clean & Tough

- The first & only in woven flooring with NOX EPT™ shield treatment (Anti-Bacterial)
- Strong enough for heavy commercial use



Dimensional Stability & Consistent Thickness

- The most reliable NOX EMT™ core structure
- Consistent product thickness by patterns for mix & match with different patterns

Fray-Proof

- Clean-cut finishing for preventing fraying even when cutting tiles during installation

Safe
Certified non-toxic, phthalate-free, and fiberglass-free fabric

Quick
Quick and Easy ECOLAY® installation without glue

Non-Slip
Slip-resistance with woven fabric surface

Easy
Minimal cleaning time and low maintenance

Colorfast
Colorfast properties retain gorgeous original colors over time

Silent & Soft
Soft surface absorbing sound


HERRINGBONE

Classic & Cozy

NOX Herringbone collection offers versatility using cool and warm natural accent tones to create artistic design and comfort in any room. Offered in our new 25cmx100cm plank format, providing a rustic appearance when installed in an ashlar paving pattern.



FQ-2501



FQ-2502



FQ-2503



FQ-2504



FQ-2505




FQ-2506


Reinvent Spaces with

LOOM+ PLAY!


New 25cmx100cm MIXMATCH plank brings new proportion and scale to your flooring to create fresh and exciting designs.
In addition to new MIXMATCH plank, LOOM+ modular system includes 50cmx50cm squares.
All work together in any combination, giving you the freedom to create your own design by mixing & matching different patterns and colors in 2 size variations.



NEW LOOM+ PLAY!




LOOM PLAY #21 LOOM PLAY #22 LOOM PLAY #23 LOOM PLAY #24 LOOM PLAY #25




LOOM PLAY #26 LOOM PLAY #27 LOOM PLAY #28 LOOM PLAY #29 LOOM PLAY #30


INSTALLATION CONCEPT GUIDE




LOOM PLAY #1 LOOM PLAY #2 LOOM PLAY #3 LOOM PLAY #4 LOOM PLAY #5




LOOM PLAY #6 LOOM PLAY #7 LOOM PLAY #8 LOOM PLAY #9 LOOM PLAY #10




LOOM PLAY #11 LOOM PLAY #12 LOOM PLAY #13 LOOM PLAY #14 LOOM PLAY #15



LOOM PLAY #16 LOOM PLAY #17 LOOM PLAY #18 LOOM PLAY #19 LOOM PLAY #20



LOOM PLAY #21 LOOM PLAY #22 LOOM PLAY #23 LOOM PLAY #24 LOOM PLAY #25



LOOM PLAY #26 LOOM PLAY #27 LOOM PLAY #28 LOOM PLAY #29 LOOM PLAY #30

LOOM+
CREATE
YOUR OWN DESIGN

FQ-2501 FQ-2502




LOOM PLAY #22

Restaurant



FQ-2502 FQ-2503
FQ-2505



LOOM PLAY #21

Corporate



FQ-2501 FQ-2502
FQ-2506




LOOM+ PLAY
MIX&MATCH

Retail shop



FQ-2501 FQ-2505
FQ-2506




LOOM PLAY #21

Hospitality



FQ-2503




LOOM PLAY #24

Education & Libraries




FQ-2501 FQ-2502
FQ-2505 FQ-2506




LOOM PLAY #27

Healthcare




FQ-2502 FQ-2503
FQ-2504 FQ-2505




LOOM PLAY #25

Sports Center



FQ-2501 FQ-2502
FQ-2505



LOOM PLAY #26

TECHNICAL INFORMATION

1. Size & Packing

Size(mm)	Thickness(mm)	Pcs/Box	㎡/Box	Kg/㎡
500x500	3	16 pcs/box	4㎡	5.0
	5	10 pcs/box	2.5㎡	8.2
250x1000	3	16 pcs/box	4㎡	5.0
	5	10 pcs/box	2.5㎡	8.2

2. Test Result

Test Item	Standard	LOOM+
Level of use	EN 685	33
Fraying	EN 1814	Frayproof
Thermal resistance	ISO 8302	0.02m²K/W
Castor chair resistance	EN 985	No damage
Dimensional stability	ISO 23999 EN 986	≤ 0.10% (Norm: ≤ 0.25%) Passed
Fire resistance	EN 13501-1	Bfl -s1
Indoor air quality		Low VOC (floor score certified)
Underfloor heating	EN 12524	Suitable
Light fastness	ISO 105-B02	≥ 6
Slip resistance	DIN 51130 EN 13893	R11 DS
Flexibility	ISO 24344	Passed
Impact sound insulation	ISO 10140-3	9dB
Body Voltage	EN 1815	≤ 2KV
Squareness & Straightness	ISO 24342 ASTM F2055	No deviation ≤ 0.01 in
Residual indentation	ISO 24343-1 ASTM F1914	≤ 0.1mm < 8%
Resistance to chemicals	ISO 26987 ASTM F925	No Defects No Defects

3. Caution

Condition in at least 19℃ or the normal temperature of the room where the product is to be laid,
for at least 48 hours before installing. Cartons must be stacked less than 5 high and tiles removed 30 minutes before use.
The site conditions must be maintained during installation and for at least 48 hours after completion.
NOX Corporation will not accept claims where these instructions have not been followed.

4. Certificate

KS M 3802 JIS A 5705

Visit www.loomplus.com for the detailed installation / maintenance guides and technical information.