
merino®
ECONOMY • EXCELLENCE • ETHICS

MÉLANGE


Simple & Sophisticated



LOOM+

WOVEN DESIGN FLOORING


merino
ECONOMY • EXCELLENCE • ETHICS
LOOM+ DIFFERENCE
DESIGN AND TECHNOLOGY
ARE WOVEN TOGETHER
Better Floor
The tangible textile feeling of Mélange collection closely
resembles the original material while exhibiting far superior qualitie



merino®
ECONOMY • EXCELLENCE • ETHICS

LOOM+
DIFFERENCE


Distinguished NOX EMT™ Core Structure

The first woven flooring with proven NOX EMT™ Core structure that ensures the most stable and durable installation.

ECONOMY • EXCELLENCE • ETHICS

LOOM+ DESIGN

PLAY with COLOR, SIZE and TEXTURE



Profound Color Composition

Realizing multiple tones of color - carefully selected by artists – we provide you with very unique colors that express LOOM+ in harmony with surrounding interiors.




Infinite array of color and texture

Available in myriad colors covering diverse tones like neutral, cool, warm, light and dark tones, we give you unique design patterns.



Designed for mix & match

Creative and unique 'mix & match' only by LOOM+ is realized by introducing the same weaving system to various design patterns.



50x50cm
Tile size



25x100cm
Plank size

Optimal 2 Size variation

With our unique 2 module sizes of 50cmx50cm and 25cmx100cm, the first introduced in woven flooring market, you can elevate flat environments to inspiring interior spaces.

ECONOMY ✦ EXCELLENCE ✦ ETHICS

LOOM+ TECHNOLOGY

PROVEN INNOVATION


PATENTED TECHNOLOGY

Distinguished NOX EMT™ Core Structure

NOX EMT™ Core structure featured with innovative functionality and safety, proven in more than 50 countries over 20 years

Clean & Hygienic (Anti-Microbial)

- The first & only in woven flooring with NOX EPT™ Shield treatment (Anti-Bacterial and Anti-Fungal coating system validated by UL)
- Strong enough for heavy commercial use



Dimensional Stability & Consistent Thickness

- The most reliable NOX EMT™ Core structure
- Consistent product thickness by patterns for mix & match with different patterns

Fray-Proof

- Clean-cut finishing for preventing fraying even when cutting tiles during installation

Safe

Certified non-toxic, phthalate-free, and fiberglass-free fabric

Quick

Quick and easy loose lay® installation without glue

Easy

Minimal cleaning time and low maintenance

Silent & Soft

Soft surface absorbing sound

Non-Slip

Slip-resistance with woven fabric surface

Colorfast

Colorfast properties retain gorgeous original colors over time



MÉLANGE

Simple & Sophisticated

NOX Mélange collection offers a true extent of nature's tree bark or dry soil. This softly rich pattern is a disordered mixture of similar shades, maximizing LOOM+ mix & match possibilities in well-matched and diversified color blends.

Enrich your space with LOOM+ Mélange, an earthy collection that adds a simple yet ultimate essence of sophistication.



FQ-2601



FQ-2602



FQ-2603



FQ-2604



FQ-2605



FQ-2606

Reinvent Spaces with

LOOM+ PLAY!

All work together in any combination, giving you the freedom to create your own design by mixing & matching different patterns and colors in 2 size variations.




50x50cm




25x100cm


NEW LOOM+ PLAY!




LOOM PLAY #21




LOOM PLAY #22




LOOM PLAY #23




LOOM PLAY #24




LOOM PLAY #25




LOOM PLAY #26




LOOM PLAY #27



LOOM PLAY #28




LOOM PLAY #29





LOOM PLAY #30


ECONOMY • EXCELLENCE • ETHICS


INSTALLATION CONCEPT GUIDE



LOOM PLAY #1



LOOM PLAY #2



LOOM PLAY #3



LOOM PLAY #4



LOOM PLAY #5



LOOM PLAY #6



LOOM PLAY #7



LOOM PLAY #8



LOOM PLAY #9



LOOM PLAY #10



LOOM PLAY #11



LOOM PLAY #12



LOOM PLAY #13



LOOM PLAY #14



LOOM PLAY #15



LOOM PLAY #16



LOOM PLAY #17



LOOM PLAY #18



LOOM PLAY #19



LOOM PLAY #20



LOOM PLAY #21



LOOM PLAY #22



LOOM PLAY #23



LOOM PLAY #24



LOOM PLAY #25


LOOM PLAY #26


LOOM PLAY #27


LOOM PLAY #28


LOOM PLAY #29


LOOM PLAY #30


LOOM+
CREATE
YOUR OWN DESIGN




GLOBAL REFERENCES

ECONOMY • EXCELLENCE • ETHICS

Restaurant




FQ-2601 FQ-2603
FQ-2604 FQ-2606



LOOM PLAY #08

Hospitality






LOOM PLAY #24

FQ-2603 FQ-2604
FQ-2606

ECONOMY • EXCELLENCE • ETHICS

Retail shop





FQ-2601 FQ-2606

LOOM PLAY #21

ECONOMY • EXCELLENCE • ETHICS

Healthcare




LOOM+ fray-proof lets you freely cut out the tiles in any creative forms.


Designer's
LOOM PLAY

FQ-2601 FQ-2602 FQ-2603
FQ-2604 FQ-2606

ECONOMY • EXCELLENCE • ETHICS

Education & Libraries





LOOM PLAY #30

FQ-2601 FQ-2602
FQ-2605 FQ-2606

Corporate




Designer's
LOOM PLAY

FQ-2603 FQ-2604
FQ-2605

ECONOMY • EXCELLENCE • ETHICS

Sports Center



Designer's
LOOM PLAY

FQ-2601 FQ-2602
FQ-2606

TECHNICAL INFORMATION

1. Size & Packing

Size(mm)	Thickness(mm)	Pcs/Box	㎡/Box	Kg/㎡
500x500	3	16 pcs/box	4㎡	5.0
	5	10 pcs/box	2.5㎡	8.2
250x1000	3	16 pcs/box	4㎡	5.0
	5	10 pcs/box	2.5㎡	8.2

2. Test Result

Test Item	Standard	LOOM+
Level of use	EN 685	33
Fraying	EN 1814	Frayproof
Thermal resistance	ISO 8302	0.02m²K/W
Castor chair resistance	EN 985	No damage
Dimensional stability	ISO 23999 EN 986	≤ 0.10% (Norm: ≤ 0.25%) Passed
Fire resistance	EN 13501-1	Bfl -s1
Indoor air quality		Low VOC (floor score certified)
Underfloor heating	EN 12524	Suitable
Light fastness	ISO 105-B02	≥ 6
Slip resistance	DIN 51130 EN 13893	R11 DS
Flexibility	ISO 24344	Passed
Impact sound insulation	ISO 10140-3	9dB
Body Voltage	EN 1815	≤ 2KV
Squareness & Straightness	ISO 24342 ASTM F2055	No deviation ≤ 0.01 in
Residual indentation	ISO 24343-1 ASTM F1914	≤ 0.1mm < 8%
Resistance to chemicals	ISO 26987 ASTM F925	No Defects No Defects

3. Caution

Condition in at least 19℃ or the normal temperature of the room where the product is to be laid,
for at least 48 hours before installing. Cartons must be stacked less than 5 high and tiles removed 30 minutes before use.
The site conditions must be maintained during installation and for at least 48 hours after completion.
NOX Corporation will not accept claims where these instructions have not been followed.

4. Certificate

KS M 3802

Please visit www.noxglobal.com for detailed installation / maintenance guides and technical information.

LOOM+
WOVEN DESIGN FLOORING

Contact us

MARKETING OFFICE
New Delhi: 70, KLJ Complex, 2nd Floor, Moti Nagar, New Delhi-110015, India
P: 011-45557000, 25107617
E: merinodelhi@merinoindia.com

REGISTERED OFFICE
5, Alexandra Court, 60/1,
Chowringhee Road, Kolkata-700020, India
P: 033-22901214/1215
E: merinokol@merinoindia.com

FACTORY OFFICES
Hapur: Village-Achheja, PO-Hapur-245 101
Dist.-Hapur (U.P.), India
P: 0122-3082500, 2308601
E: merinohapur@merinoindia.com
(FSC COC certified)

Rohad: 44 KM. Stone, Delhi-Rohtak Road, Rohad, Distt. Jhajjar, Haryana-124501, India
P: 01276-221000, 304900
E: merinorohad@merinoindia.com
(FSC COC certified)

Hosur: Bagalur Road, Kalahasthipuram Village, Hosur Taluk, Distt. Krishnagiri,
Tamil Nadu-635103, India
P: 04344-293545, 327765
E: merinohosur@merinoindia.com
(FSC COC certified)

Dahej: 137, 1st Floor, Chinubhai Tower,
Ashram Road, Ahmedabad, Gujarat-380009, India
P: 079 - 26589511, 30075775
E: merinoahm@merinoindia.com

BRANCH OFFICES
Ahmedabad: P: 079-30075775, 26589511
E: merinoahm@merinoindia.com

Bengaluru: P: 080-42418000
E: merinoblr@merinoindia.com

Bhubaneswar: M: +91 9437394457
E: merinobbsr@merinoindia.com

Chandigarh: P: 7087001162/63
E: merinochd@merinoindia.com

Chennai: P: 044-49303333 / 3300
E: merinoch@merinoindia.com

Coimbatore: M: +91 9500036834
E: merinocbt@merinoindia.com

Indore: M: +91 9109937861

Ludhiana: M: 7347025195
E: merinoludhiana@merinoindia.com

New Delhi: P: 011-69015300
E: merinopg@merinoindia,com

Hyderabad: P: 040-27901202 / 1203
E: merinohyd@merinoindia.com

Jaipur: P: 0141-2206159, 2209505, 2209506
E: merinojaipur@merinoindia.com

Kochi: P: 0484-2398265, 2397972, 4183301/33
E: merinokochi@merinoindia.com

Mumbai: P: 022-67991970/71/72, 61816800
E: merinomum@merinoindia.com

Nagpur: P: 0712-2971721
E: merinonagpur@merinoindia.com

Pune: P: 020-24445025, 24447025
E: merinopune@merinoindia.com

Tinsukia: M: +91 9957736818

Vijayawada: M: +91 9686446121
E: merinohyd@merinoindia.com

merino®
ECONOMY • EXCELLENCE • ETHICS